

Agile S NI

Accessories





Accessories for use in hazardous areas


Accessories are approved for:

- ATEX: Zone 2/22 (EPS 19 ATEX 1 179 X)
- IECEx: Zone 2/22 (EPS 19.0079X)
- UKEX: Zone 2/22 (CML 21UKEX2346X)
- NEC: Class I Div 2 (CSA File 180267)



Standard battery

Description	 Lithium polymer battery 7.4 V/5140 mAh (38,04 Wh) Hot-swappable May only be changed and charged outside hazardous areas!
Order no.	B7-A2Z0-0055



Battery lock

Description	 Enables battery locking for prevent accidental removel
Order no.	03-9827-0004



Screen protector

Description	- certified in combination with Agile S NI -3 pieces Must be applied and removed onlyoutside hazardous areas!
Order no.	B7-A2Z0-0031





Radio module 4G/LTE (US)

Order no.

Description Sierra Wireless module MC7455 - Suitable for Agile S and Agile S NI - Support: 4G - LTE Category: Cat-6 Bands: B1, B2, B3, B4, B5, B7, B8, B12, B13, B20, B25, B26, B29, B30, B41 3G - WCDMA (DC-HSPA+/HSPA+/HSPA/UMTS) Bands: B1, B2, B3, B4, B5, B8 Must be applied and removed only outside hazardous areas!

03-9826-0157



Radio module 4G/LTE (Asia/Pacific + South America)

Description	- Suitable for Agile S and Agile S NI - Region: Asia/Pacific/South America - Support: 4G - LTE Category: Cat-4 Band: B1, B3, B8, B18, B19, B26, B41 3G - WCDMA (DC-HSPA+/HSPA+/ HSPA/UMTS) Band: B1, B6, B8, B19 Standards Compliance: 3GPP R11 Must be applied and removed only outside hazardous areas!
Order no.	03-9826-0230



Radio module 4G/LTE (EU + Korea + Taiwan)

	hazardous areas!
	Must be applied and removed only outside
	Standards Compliance: 3GPP R11a/R9
	Band: B1, B5, B8
	HSPA/UMTS)
	3G - WCDMA (DC-HSPA+/HSPA+/
	B40, B41, B42, B43
	Band: B1, B3, B7, B8, B20, B28, B32, B38,
	Category: Cat-7
	4G - LTE
	Support:
	Korea/Taiwan
	Region: Most European countries/
Description	– Suitable for Agile S and Agile S NI



Ctylus

Stylus	
Description	 Suitable for capacitive touchscreen passive stylus with spiral cable 3 pieces Must be applied and removed only outside hazardous areas!
Order no.	17-S1Z0-0008





Leather carry case

Description	 Suitable with Agile S and Agile S NI With practical stand function and holder for stylus Access to battery possible Upgradable with shoulder strap and 4-point belt Robust industry quality leather
Order no.	03-9829-0122



4-point belt

Description	 Suitable for leather carry case of Tablet PC Series Agile Ergonomic back trace with shoulder pad for safe carrying in front of the body Easy and secure fitting on leather carry case usingcoloured pop fasteners Adjustable strap length
Order no.	03-9829-0092



Shoulder strap

Description	 Suitable for leather carry case of Tablet PC Series Agile Ergonomic and soft shoulder pad Adjustable strap length
Order no.	03-9829-0091



Hand strap

Description	 Suitable for Agile S and Agile S NI 1 piece To be mounted on the back of the Tablet PC
Order no.	03-9849-0155



Accessories for use outside hazardous areas



2-slot battery charging station

Description	 Suitable with Agile S and Agile S NI For charging 2 batteries Input voltage: DC 10 V to 20 V (50 W) Charge indicator by LED and buzzer Two charging stations can be charged with one power supply
Scope of delivery	2-slot battery charging stationPower supplyAC power cable (EU + US)
Order no.	03-9914-0010



Docking station

Description	 Suitable for Agile S and Agile S NI Input voltage: DC 12 V to 19 V Charging with inserted battery
Interfaces	- 4 x USB 2.0 - 1 x RS232 - 1 x Ethernet 10/100 Mbit/s - 1 x VGA - 1 x Charging port
Scope of delivery	– Docking station – Quick start guide (EN)
Also required	(not included with delivery) - Power supply - AC power cable (EU + US)
Order no.	03-9915-0017



Docking station

Description	 Suitable for Agile Tablet PC Series Input voltage: DC 19 V Charging with inserted battery
Interfaces	- 4 x USB 2.0 -1 x RS232 -1 x Ethernet 10/100 Mbit/s -1 x HDMI -1 x Charging port
Scope of delivery	- Docking Station - Mounting bracket - Screws for mounting bracket (6 pieces) - Fixation elements (2 pieces) - Inserts for Agile S NI (2 pieces) - Screws for insert (2 pieces) - Rubber pads (4 pieces) - Power supply - Power cable (EU + US) - Quick start guide (EN)
Order no.	03-9914-0022





Power supply

Description	– suitable for Agile Tablet PC Series – Input voltage: AC 100 V to 240 V – Output voltage: DC 19 V/3.42 A
Order no.	03-9911-0040



AC power cable

Description	-3-wire -country-specific		
Order no.	Version: EU	03-9609-0022	
	Version: US	03-9609-0023	
		Please purchase the required country-specific cables in the respective country!	



Micro HDMI cable

Description	- Micro HDMI (Male) to HDMI (Male)
Order no.	03-9919-0024